

L Number	Hits	Search Text	DB	Time stamp
-	226	((user client customer consumer) near3 (data information preferenc\$3 profil\$3)) and (pre-populat\$3 prepopulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:57
-	2	customiz\$3 near5 ((os o/s (operating adj2 system)) near3 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:50
-	18	customiz\$3 near5 ((os o/s (operating adj2 system)) near3 (configur\$7 image))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:59
-	227	((user client customer consumer) near3 (data information preferenc\$3 profil\$3 personaliz\$5 setting)) and (pre-populat\$3 prepopulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 09:03
-	1	((os o/s (operating adj2 system)) near3 image)) and (((user client customer consumer) near3 (data information preferenc\$3 profil\$3 personaliz\$5 setting)) and (pre-populat\$3 prepopulat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:57
-	275372	(user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:31
-	43386	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) /	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:31
-	232	((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) and (pre-populat\$3 prepopulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:06
-	22	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))) and (pre-populat\$3 prepopulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 09:58
-	40	customiz\$3 near5 ((os o/s (operating adj2 system)) near3 (configur\$7 image setting preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:05
-	8706	((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) and (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:05
-	22	((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) and (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and (pre-populat\$3 prepopulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:06
-	0	customiz5 near3 (pc computer (personal adj2 computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:26

-	0	((customiz3 near3 (pc computer (personal adj2 computer))) with (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) and ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:26
-	851	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:16
-	0	(customiz5 near3 (pc computer (personal adj2 computer)) and (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) and ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:34
-	3	(install\$5 load\$3 cop\$3 customiz\$5) near5 (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:34
-	164	(install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:09
-	10	((install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((custom\$7 near4 install\$5 near4 (application software program system os o/s (operating adj2 system))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:39
-	3016	((bill adj3 material) bom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:09
-	165	(install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:15
-	0	((install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))) and ((bill adj3 material) bom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:15

-	0	((bill adj3 material) bom)) and ((install\$5 load\$3 cop\$3 customiz\$5) same ((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:15
-	853	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:19
-	165	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((install\$5 load\$3 cop\$3 customiz\$5) same ((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:19
-	5	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((bill adj3 material) bom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:25
-	853	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:23
-	165	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((install\$5 load\$3 cop\$3 customiz\$5) same ((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:27
-	103	((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))) and ((purchas\$3 order\$3 buy\$3 bought) near3 (computer pc (personal adj2 computer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:29

-	34	<pre> ((((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))) and ((purchas\$3 order\$3 buy\$3 bought) near3 (computer pc (personal adj2 computer)))) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:09
-	34	<pre> ((((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((purchas\$3 order\$3 buy\$3 bought) near3 (computer pc (personal adj2 computer)))) and ((((((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))) and ((install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))) and ((purchas\$3 order\$3 buy\$3 bought) near3 (computer pc (personal adj2 computer)))) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:10

-	0	<pre> ((((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((purchas\$3 order\$3 buy\$3 bought) near3 (computer pc (personal adj2 computer)))) and (((((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))) and ((purchas\$3 order\$3 buy\$3 bought) near3 (computer pc (personal adj2 computer)))) not (((((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and ((install\$5 load\$3 cop\$3 customiz\$5) same (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting))))) and ((purchas\$3 order\$3 buy\$3 bought) near3 (computer pc (personal adj2 computer)))) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:10
-	16	<pre> (((os o/s (operating adj2 system)) near3 (setting configur\$7 image preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)) with ((user client customer consumer) near3 (data information preferenc\$3 specif\$7 profil\$3 personaliz\$5 setting)))) and (((pc computer (personal adj2 computer)) near3 (information data)) same ((order\$3 buy\$3 purchas\$3) near3 (pc computer (personal adj2 computer)))) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:17